

Introduction to XML

Patryk Czarnik

XML and Applications 2016/2017
Lecture 1 – 3.03.2017

Text markup – roots

The term **markup** originates from hints in manuscript to be printed in press.

Po polsku
znakowanie tekstu

And she went on planning to herself how she would manage it. 'They must go by the carrier,' she thought; 'and how funny it'll seem, sending presents to one's own feet! And how odd the directions will look!

10pt space

ALICE'S RIGHT FOOT, ESQ.
HEARTHrug,
NEAR THE FENDER,
(WITH ALICE'S LOVE).

0.5in

10pt space


Oh dear, what nonsense I'm talking!'

bold

Text markup – roots

In fact people have been marking text since the beginning of writing.

- Marking up things in hand-written text:
 - punctuation, indentation, spaces,
 - underlines, capital letters.
- Structural documents:
 - layout of letter – implicit meaning,
 - tables, enumeration, lists.
- Today informal markup used in computer-edited plain text:
 - email, SMS, instant messaging
 - social media (FB, TT, internet fora).



Text markup – fundamental distinction

Presentational markup

- Describes the appearance of a text fragment
 - font, color, indentation,...
- Procedural or structural
- Examples:
 - Postscript, PDF, TeX
 - HTML tags: `` `
`
 - direct formatting in word processors
 - XSL-FO (we will learn)

Semantic markup

- Describes the meaning (role) of a fragment
- Examples:
 - LaTeX (partially)
 - HTML tags: ``
`<Q>` `<CITE>` `<VAR>`
 - styles in word processors (if used in that way)
 - most of SGML and XML applications

Documents in information systems


- Since the introduction of computers to administration, companies and homes plenty of digital documents have been written (or generated).
- Serious problem: number of formats, incompatibility.
- De facto standards in some areas (e.g. .doc, .pdf, .tex)
 - many of them proprietary
 - many of them binary and hard to use
 - some of them undocumented and closed for usage without a particular tool

Let's design another format
replacing all existing!


And now we have 1000+1 formats to handle...

Why is XML a different approach?

- Common base
 - document model
 - syntax
 - technical support (parsers, libraries, supporting tools and standards)
- Different applications
 - varying set of tags
 - undetermined semantics
- Base to define formats rather than one format
- General and **extensible!**



A bit of history - overview



Context and alternative solutions

Road to XML

- 1967–1970s – William Tunncliffe, GenCode
- Late 1960s – IBM – SCRIPT project, INTIME experiment
 - Charles **G**oldfarb, Edward **M**osher, Raymond **L**orie
 - **G**eneralized **M**arkup **L**anguage (GML)
- 1974–1986 – Standard Generalized Markup Language (SGML)
 - ISO 8879:1986
- Late 1990s – **E**xensible **M**arkup **L**anguage (XML)
 - W3C Recommendation 1998
 - Simplification(!) and subset of SGML

What is XML?

- **Standard** – Extensible Markup Language
World Wide Web Consortium (W3C) Recommendation
 - version 1.0 – 1998
 - version 1.1 – 2004
- **Language** – a format for writing structural documents in text files
- **Metalinguage** – an extensible and growing family of concrete languages (XHTML, SVG, etc...)
- Means of: (two primary applications)
 - document markup
 - carrying data (for storage or transmission)

What is XML not?

- Programming language
- Extension of HTML
- Means of presentation
 - You should say “data represented in XML format” rather than “presented”
- Web-only, WebServices-only, database-only, nor any other *-only technology – XML is general.
- Golden hammer
 - XML is not a solution for everything

XML components

Main logical structure

- **Element** (*element*)
 - start tag (*znacznik otwierający*)
 - end tag (*znacznik zamykający*)
- **Attribute** (*atrybut*)
- Text content
/ **text node**
(*zawartość tekstowa*
/ *węzeł tekstowy*)

```
<article id="1850" subject="files">
  <author>Jan Kowalski</author>
  <title>File formats</title>
  <p>
    <n>Open document</n> files may have
    the following extensions:
  </p>
  <list type="unordered">
    <item>odt</item>
    <item>ods</item>
    <item>odd</item>
    <item>odp</item>
    <item>odb</item>
  </list>
</article>
```

XML components

Comments and PIs

```
<?xml-stylesheet type="text/css" href="style.css"?>
<article id="1850" subject="files">
  <author>Jan Kowalski</author>
  <?Categorisation technical informal ?>
  <title>File formats</title>
  <!-- <p>Commented content... -->
</article>
<!-- Modified: 2013-10-02T11:11:00 -->
```

- **Comment** (*komentarz*)
- **Processing instruction** (*instrukcja przetwarzania, ew. instrukcja sterująca, dyrektywa*)
 - target (*cel, podmiot*)

XML components – CDATA

- **CDATA section** (*sekcja CDATA*)
 - Whole content treated as a text node, without any processing.
 - Allows to quote whole XML documents (not containing further CDATA sections).

```
<example>
  The same text fragment written in 3 ways:
  <option>x > 0 & x < 100</option>
  <option>x > 0 &#38; x &#60; 100</option>
  <option><![CDATA[x > 0 & x < 100]]></option>
</example>
```

Document prolog

```
<?xml version="1.0" encoding="iso-8859-2" standalone="no"?>  
<!DOCTYPE article SYSTEM "article.dtd">  
<article>  
  ...  
</article>
```

- **XML declaration**

- Looks like a PI, but formally it is not.
- May be omitted. Default values of properties:
 - `version = 1.0`
 - `encoding = UTF-8 or UTF-16 (deducted algorithmically)`
 - `standalone = no`

- Document type declaration (**DTD**)

- Optional

Unicode and character encoding

- Unicode – big table assigning characters to numbers.
 - Some characters behave in a special way, e.g.
U+02DB , Ogonek
- One-byte encodings (ISO-8859, DOS/Windows, etc.)
 - Usually map to Unicode, but not vice-versa
 - Mixing characters from different sets not possible
- Unicode Transformation Formats:
 - UTF-8 – variable-width encoding, one byte for characters 0-127 (consistent with ASCII), 16 bits for most of usable characters, up to 32 bits for the rest
 - UTF-16 – variable-width, although 16 bits used for most usable characters; big-endian or little-endian
 - UTF-32 – fixed-length even for codes > 0xFFFF

XML components

Character & entity references

- **Character reference** decimally: `ü`
(*referencja do znaku*)
- Character reference hexadecimally: `ü`
 - Relate to character numbers in Unicode table.
 - Allow to insert any acceptable character even if out of current file encoding or hard to type from keyboard.
 - Not available within element names etc.
- **Entity reference:** `< &MyEntity;`
(*referencja do encji*)
 - Easily inserting special characters.
 - Repeated or parametrised content.
 - Inserting content from external file or resource
 - addressable by URL.

Where do entities come from?

- 5 predefined entities: `lt` `gt` `amp` `apos` `quot`
- Custom entities defined in DTD
 - simple (plain text) or complex (with XML elements)
 - internal or external

We're skipping details of **unparsed entities** and **notations**.

```
<!ELEMENT doc ANY>
<!ENTITY lecture-id "102030">
<!ENTITY title "XML and Applications">
<!ENTITY abstract SYSTEM "abstract.txt">
<!ENTITY lect1 SYSTEM "lecture1.xml">
```

```
<?xml version="1.0"?>
<!DOCTYPE doc SYSTEM "entities.dtd">
<doc>
  <lecture id="&lecture-id;">
    <title>&title;</title>
    <abstract>&abstract;</abstract>
    &lect1;
  </lecture>
</doc>
```

```
<?xml version="1.0"?>
<p>XML is fine.</p>
<p>A general parsed entity is well-formed
if it forms a well-formed XML document
when put between element tags.</p>
In particular, it may contain
text and any number of elements.
```

Document Type Definition

- Specifies the “type” of this XML document.
 - Not required and in fact not used in modern applications.
- Can be written in a separate file, inside the XML document, or using a mixed approach.
 - Using a separate file gives some advantages and usually this is the choice.
- Apart from document structure definition, which we'll learn in the next week, it allows to define entities and notations.

Associating DTD to XML document (3 options)

- Internal DTD

```
<?xml version="1.0"?>
<!DOCTYPE doc [
  <!ELEMENT doc ANY>
  <!ENTITY title "XML and Apps">
]>
<doc>...
```

- External DTD

```
<?xml version="1.0"?>
<!DOCTYPE doc SYSTEM "entities.dtd">
<doc>...
```

```
<!ELEMENT doc ANY>
<!ENTITY title "XML and Applications">
```

- Mixed approach - internal part processed first and has precedence for some kinds of definitions (including entities)

```
<?xml version="1.0"?>
<!DOCTYPE doc SYSTEM "entities.dtd"
[
  <!ENTITY title "XML and Advanced Applications">
]>
<doc>...
```

External entity identifiers


For the external DTD fragment or an entity.

- System identifier
 - `SYSTEM "lecture1.xml"`
 - `SYSTEM "http://xml.mimuw.edu.pl/lecture1.xml"`
- Public identifier
 - `PUBLIC "-//W3C//DTD XHTML 1.1//EN"`
`"http://www.w3.org/TR/xhtml11/DTD/xhtml11.dtd"`
 - Public identifiers mapped to actual resources using *catalog file* - SGML-related technology.
 - Some processors (e.g. Web browsers) may use their internal knowledge about a document when they see an expected public identifier.
 - System URI given as additional "fallback" (in XML required, in SGML not).

XML syntax – supplement

- Elements have to be closed (in stack-like order).
 - Shorthand for empty elements: `<elem/>`
- Two possibilities of attribute value quotation: " or '
- Not every character is allowed in XML document, even by a character reference.
 - Different sets in XML 1.0 and 1.1
- Surprising curiosities:
 - - - is forbidden within comments
 -]]> is forbidden anywhere in text content
 - therefore `>` is ever needed

Document as a tree



```
<?xml version="1.0"?>
<?xml-stylesheet href="styl.css"?>
<employee id="77">
  <fname>Jan</fname>
  <surname>Kowalski</surname>
  <tel>123234345<intern>1313</intern></tel>
  <!-- Comment -->
  <tel type="mob">605506605</tel>
</employee>
```

Language or metalanguage?

- XML is a language.
 - Grammar, additional constraints expressed descriptively
→ one can determine whether a sequence of characters is well-formed XML.
- Better to think as of a **metalanguage**.
 - Common base for defining particular languages
 - Set of languages (open, unlimited)
 - A particular language based on XML will be called an **XML application**.

XML vs (X)HTML

HTML

- Defined set of elements and attributes
- Their meaning established
- Defined (to some extent) way of presentation
- Although specification exists, tools accept (and often create) incorrect HTML.

XML

- All (syntactically correct) tag names allowed
- Undefined semantics
 - `<p>` is not necessarily a paragraph!
- Unspecified way of presentation
- Processors obliged to work with well-formed XML only

XML vs SGML

SGML

- *“Convenient for author”*
- Some ambiguity allowed when supported by DTD,
 - e.g. in HTML `<p>` or `` may remain unclosed
- Token attributes allowed to be unquoted
- More datatypes for attributes in DTD
- More DTD structuralisation capabilities
- DTD required

XML

- *“Convenient for processor”*
- Strict unambiguous syntax
- Less options, simpler DTD
- Unified with modern internet standards (URI, Unicode)
- DTD optional

Two faces of XML

“Text document”

- Flexible structure, mixed content
- Text (formatted or annotated with tags)
- Content created and used by humans

```
<p><spoken who="alice">Curiouser and curiouser!</spoken> cried Alice <remark>she was so much surprised, that for the moment she quite forgot how to speak good English</remark>; <spoken who="alice">now I'm opening out like the largest telescope.</spoken> </p>
```

“Database”

- Strict structure
- Various datatypes
- Created and processed automatically

```
<order nr="18/2013"> <customer id="1313"/> <order-date>2013-10-10</order-date> <deliv-date>2013-11-03</deliv-date> <items> <item good-id="56312" qty="1"/> <item good-id="56100" qty="10"/> <item good-id="56560" qty="7"/> </items> </order>
```

Applications of XML

- Traditional (successor of SGML) – content management
 - Source text markup – preferably semantic – to be used in various ways (publication, searching, analysis)
 - Combining documents (links, references, etc.)
- Modern – data serialisation, programming technologies
 - Saving structural data in files
 - Integration of distributed applications: “web services” (SOAP), REST, AJAX
 - Databases (import/export, “XML databases”)
 - Format of configuration files for many technologies
- Somewhat between – IMO the best place for XML:
 - Structural documents (forms etc.) to be processed by IT systems

What can we do with XML?

- Define new XML-based formats (the “applications”) using XML Schema or other standards
 - Validate documents against the definition
- Edit manually (e.g. Notepad) or using specialised tools
- Store in files or databases, transfer through network
- Process documents (read, use, modify or create, write) in custom applications
 - Use existing parsers and libraries
- Search and query for data using XQuery, XPath, XSLT, or custom applications
- Transform to other formats (for presentation, but not only) using XSLT, XQuery, or custom applications
- Format using stylesheets or specialised tools

Advantages of XML

- Compared to binary formats:
 - Readable (to some extent...) for humans, “self-descriptive”
 - Possibility to read or edit using simplest tools
 - Easier debugging
- Compared to ad-hoc designed formats:
 - Common syntax and document model
 - Common way of defining XML applications (XML Schema)
 - Existing tools, libraries, and supporting standards
 - **Interoperability**
- Compared to WYSIWYG editors and their formats:
 - Semantic markup available, more advanced than *flat* styles
 - Relatively easy conversion to other formats (using transformations and stylesheets)

Drawbacks of XML

- Verbo­sity
 - Writing numbers, dates, images, etc. as text not efficient
 - Syntax of XML (e.g. element name repeated in closing tag)
 - Common use of whitespace for indentation (not obligatory, of course)
- Complexity
 - Inherited features of SGML (entities, notations, even whole DTD) which are rarely used in modern applications, but have to be supported by processors
- Technical restrictions, e.g.:
 - Elements can not overlap (trees, not DAGs)
 - Binary content not allowed (there are some solutions – we will learn)
 - Requirement of exactly one root element impractical

Alternatives to XML – text

For text-oriented applications of XML:

- TeX and LaTeX
- Direct tagging in graphical text editors
 - flat styles
 - more advanced solutions, e.g. Adobe FrameMaker
- “Lightweight markup”
 - MediaWiki
 - AsciiDoc, OrgMode, and others

```
==== A dialogue ====
```

```
"Take some more [[tea]],  
" the March Hare said to Alice,  
very earnestly.
```

```
"I've had nothing yet,"  
Alice replied in an offended tone:  
"so I can't take more."
```

```
"You mean you can't take ''less'', "  
said the Hatter: "it's '''very'''  
easy to take ''more'' than nothing."
```

MediaWiki source example from Wikipedia

Alternatives to XML – data

For “modern” applications of XML:

- JSON (JavaScript Object Notation)
 - more compact than XML
 - often used instead of XML in AJAX and REST solutions
- YAML
 - similar to JSON, but more advanced
- CSV
 - simple and poor
- ASN.1, EDIFACT
 - different approach (not so generic)

```
{ "firstName": "John",  
  "lastName": "Smith",  
  "age": 25,  
  "address": {  
    "streetAddress": "21 2nd Street",  
    "city": "New York",  
    "state": "NY",  
    "postalCode": "10021"  
  },  
  "phoneNumber": [  
    {"type": "home",  
     "number": "212 555-1234"},  
    {"type": "fax",  
     "number": "646 555-4567"}  
  ]  
}
```

JSON example from Wikipedia

Where does XML make sense?

- Text-oriented applications
 - As source format for further processing
 - To denote metadata, structural dependencies, links, etc.
- Data-oriented applications
 - When structural text or tree-like structure appears in a natural way; e.g. business documents interchange
 - When interoperability more important than efficiency
 - public administration services, external business partners, heterogeneous environment

But XML (read also “web service”) is maybe not the best format to transfer arrays of numbers between nodes performing a physical process simulation.

Don't force to use XML when there are better solutions.